

«CONFIRM»

Chairman of the expert
technical commission

Sh. Eshmurodov

"29" 05 2019

REQUIREMENTS SPECIFICATION

**for purchasing of silastic (silicone rubber) for vacuum baths of extruder lines
of Karshitermoplast shop of SGCC. LLC**

1. Purpose: Silicone rubber is required for replacement of rubber that has been worn out.

2. Technical specifications:

№	Indexes	Units	Values
1	Width	mm	1000
2	Thickness	mm	5
3	Temperature range	°C	0 – 150
4	Density	g/sm ³	1,15+0,05
5	Shore hardness (A)	-	40+5
6	Tensile elongation	%	400-600
7	Residual deformation (24h/150°C)	%	≤20±10
8	Conditional tensile strength	mPa	6,5-7
9	Breaking strength	H/MM	7-9

3. Scope of delivery: 100 m2.

4. Place of delivery: Supplier should provide delivery of purchased products to the following address: Shurtan Gas Chemical Complex. LLC, the Republic of Uzbekistan, Kashkadarya region, Guzar district, Shurtan settlement, 180300.

5. Preferred delivery time: no more than 30 calendar days after conclusion of the contract.

6. Terms of delivery: The delivered goods should have the manufacturer's packaging fixed by manufacturer. Packaging should exclude mechanical damage and deformation of the product and provide protection against moisture penetration during transportation. Delivery of goods to the location of customer and handling operations are performed by and at the expense of supplier. All purchased equipment must be accompanied by relevant technical documentation and certificates. Upon delivery, supplier should provide customer with properly completed accompanying documents confirming quality and safety of goods.

7. Goods safety requirements:

All goods should be new (production year is not earlier than 2018) and should not have rights of third parties.