

## PRODUCT-DETAILS

# ACS880-01-169A-3

## ACS880-01-169A-3 P<sub>cont.max</sub>:90kW, I<sub>cont.max</sub>:161A



### General Information

Global Commercial Alias	ACS880-01-169A-3
Product ID	3AUA0000108027
ABB Type Designation	ACS880-01-169A-3
Catalog Description	ACS880-01-169A-3 P <sub>cont.max</sub> :90kW, I <sub>cont.max</sub> :161A

### Ordering

Country of Origin	Finland (FI)
Customs Tariff Number	85044088
Invoice Description	ACS880-01-169A-3 P <sub>cont.max</sub> :90kW, I <sub>cont.max</sub> :161A
Made To Order	Yes
Minimum Order Quantity	1 piece
Order Multiple	1 piece
Quote Only	No
Selling Unit of Measure	piece

### Dimensions

Product Net Height	880 mm
Product Net Length	365 mm

Product Net Width	284 mm
-------------------	--------

## Technical

Enclosure Class	IP21
Frequency (f)	50/60 Hz
Input Voltage ( $U_{in}$ )	380 ... 415 V
Mounting Type	Wall-mounting
Number of Phases	3
Output Current, Heavy-Duty Use	145 A
Output Current, Light-Overload Use	161 A
Output Current, Normal Use	169 A
Output Power, Heavy-Duty Use	75 kW
Output Power, Light-Overload Use	90 kW
Output Power, Normal Use	90 kW

## Additional Information

Product Main Type	ACS880-01-169A-3
Product Name	Frequency Converter

## Classifications

Product Series	ACS880
WEEE Category	4. Large Equipment (Any External Dimension More Than 50 cm)
ETIM 7	EC001857 - Frequency converter =< 1 kV
UNSPSC	39122001

## Categories

Drives → Low voltage AC drives → Industrial drives → ACS880 single drives → ACS880-01 - Wall-mounted single drive

